



**AIMS NO.** WB40001  
**ID (mm)** 79  
**OD (mm)** 32  
**THK (mm)** 84  
**RMK 1** TCM LH  
**RMK 2** 3/4"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40002  
**ID (mm)** 79  
**OD (mm)** 32  
**THK (mm)** 84  
**RMK 1** TCM RH  
**RMK 2** 3/4"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40003  
**ID (mm)** 14  
**OD (mm)** 17.5  
**THK (mm)** 45  
**RMK 1** TYT D700, HYD  
**RMK 2** 3/4"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40004  
**ID (mm)** 14  
**OD (mm)** 17.5  
**THK (mm)** 45  
**RMK 1** TYT D700, BRAKE OIL  
**RMK 2** 3/4"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40005  
**ID (mm)** 30  
**OD (mm)** 30  
**THK (mm)** 51.5  
**RMK 1** 1.5TON, 11040-5, KOM Λ  
**RMK 2** 3/4"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40006  
**ID (mm)** 40  
**OD (mm)** 38  
**THK (mm)** 54  
**RMK 1** LH, 1.5TON, TCM  
**RMK 2** 3/4"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40007  
**ID (mm)** 40  
**OD (mm)** 38  
**THK (mm)** 54  
**RMK 1** RH, 1.5TON, TCM  
**RMK 2** 3/4"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**

TYT=TOYOTA, KOM=KOMATSU, NIS=NISSAN, MIT=MITSUBISHI, SYL=SUMITOMO YALE, HY=HYSTER  
 DAE=DAEWOO, HYD=HYDRAULIC  
 OEM=ORIGINAL PART MANUF, GEN=GENUINE, AIMS=AIMS QUALITY



**AIMS NO.** WB40015  
**ID (mm)** 27  
**OD (mm)** 29.5  
**THK (mm)** 51  
**RMK 1** YALE, LH  
**RMK 2** 7/8"



**AIMS NO.** WB40022  
**ID (mm)** 40  
**OD (mm)** 38  
**THK (mm)** 53  
**RMK 1** TYT RH V  
**RMK 2** 7/8"



**AIMS NO.** WB40016  
**ID (mm)** 27  
**OD (mm)** 29.5  
**THK (mm)** 51  
**RMK 1** YALE, RH  
**RMK 2** 7/8"



**AIMS NO.** WB40023  
**ID (mm)** 40  
**OD (mm)** 38  
**THK (mm)** 53  
**RMK 1** TYT RH, A  
**RMK 2** 7/8"



**AIMS NO.** WB40017  
**ID (mm)** 40  
**OD (mm)** 38  
**THK (mm)** 54  
**RMK 1** 1041-1212LH  
**RMK 2** 7/8"



**AIMS NO.** WB40024  
**ID (mm)** 40  
**OD (mm)** 38  
**THK (mm)** 53  
**RMK 1** TYT LH, A  
**RMK 2** 7/8"



**AIMS NO.** WB40018  
**ID (mm)** 40  
**OD (mm)** 38  
**THK (mm)** 54  
**RMK 1** 1041-2212RH  
**RMK 2** 7/8"



**AIMS NO.** WB40025  
**ID (mm)** 36.3  
**OD (mm)** 26.3  
**THK (mm)** 46  
**RMK 1** FD15, HY A  
**RMK 2** 7/8"



**AIMS NO.** WB40019  
**ID (mm)** 37  
**OD (mm)** 34  
**THK (mm)** 60  
**RMK 1**  
**RMK 2** 7/8"



**AIMS NO.** WB40026  
**ID (mm)** 30  
**OD (mm)** 30  
**THK (mm)** 52  
**RMK 1** NIS 1.5 TON  
**RMK 2** 7/8"



**AIMS NO.** WB40020  
**ID (mm)** 30  
**OD (mm)** 30  
**THK (mm)** 52  
**RMK 1** TYT 1-1.5TON  
**RMK 2** 7/8"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40021  
**ID (mm)** 40  
**OD (mm)** 38  
**THK (mm)** 53  
**RMK 1** TYT LH, V  
**RMK 2** 7/8"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**

TYT=TOYOTA, KOM=KOMATSU, NIS=NISSAN, MIT=MITSUBISHI, SYL=SUMITOMO YALE, HY=HYSTER  
 DAE=DAEWOO, HYD=HYDRAULIC  
 OEM=ORIGINAL PART MANUF, GEN=GENUINE, AIMS=AIMS QUALITY



AIMS NO. WB40029  
 ID (mm) 30  
 OD (mm) 30  
 THK (mm) 54  
 RMK 1  
 RMK 2 1"

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2



AIMS NO. WB40030  
 ID (mm) 37  
 OD (mm) 34  
 THK (mm) 60  
 RMK 1  
 RMK 2 1"

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2



AIMS NO. WB40031  
 ID (mm) 35.5  
 OD (mm) 31.5  
 THK (mm) 48  
 RMK 1 TYT  
 RMK 2 1"

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2



AIMS NO. WB40032  
 ID (mm) 34.5  
 OD (mm) 38  
 THK (mm) 58  
 RMK 1 LH, V  
 RMK 2 1"

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2



AIMS NO. WB40033  
 ID (mm) 34.5  
 OD (mm) 38  
 THK (mm) 58  
 RMK 1 RH, V  
 RMK 2 1"

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

TYT=TOYOTA, KOM=KOMATSU, NIS=NISSAN, MIT=MITSUBISHI, SYL=SUMITOMO YALE, HY=HYSTER  
 DAE=DAEWOO, HYD=HYDRAULIC  
 OEM=ORIGINAL PART MANUF, GEN=GENUINE, AIMS=AIMS QUALITY



**AIMS NO.** WB40141  
**ID (mm)** 37  
**OD (mm)** 33.5  
**THK (mm)** 60.5  
**RMK 1** TYT 5FD20  
**RMK 2** 1 1/8"



**AIMS NO.** WB40148  
**ID (mm)** 37  
**OD (mm)** 34  
**THK (mm)** 49  
**RMK 1** MIT 2-3TON  
**RMK 2** 1 1/8"



**AIMS NO.** WB40142  
**ID (mm)** 36.5  
**OD (mm)** 31.5  
**THK (mm)** 51  
**RMK 1** TYT 7FD20  
**RMK 2** 1 1/8"



**AIMS NO.** WB40149  
**ID (mm)** 31.5  
**OD (mm)** 30  
**THK (mm)** 54  
**RMK 1** DAE 12.5mm  
**RMK 2** 1 1/8"



**AIMS NO.** WB40143  
**ID (mm)** 37  
**OD (mm)** 29.5  
**THK (mm)** 56.5  
**RMK 1** TYT 3FD25, HYD RH  
**RMK 2** 1 1/8"



**AIMS NO.** WB40150  
**ID (mm)** 31  
**OD (mm)** 30  
**THK (mm)** 54.5  
**RMK 1** DAE 9mm  
**RMK 2** 1 1/8"



**AIMS NO.** WB40144  
**ID (mm)** 37  
**OD (mm)** 29.5  
**THK (mm)** 56.5  
**RMK 1** TYT 3FD25, HYD LH  
**RMK 2** 1 1/8"



**AIMS NO.** WB40151  
**ID (mm)** 37  
**OD (mm)** 34  
**THK (mm)** 59  
**RMK 1** TCM 2-2.5 TON  
**RMK 2** 1 1/8"



**AIMS NO.** WB40145  
**ID (mm)** 37  
**OD (mm)** 29.5  
**THK (mm)** 56.5  
**RMK 1** TYT, TCM, RH  
**RMK 2** 1 1/8"



**AIMS NO.** WB40152  
**ID (mm)** 37  
**OD (mm)** 34  
**THK (mm)** 60.5  
**RMK 1** KOM F10,F11, V  
**RMK 2** 1 1/8"



**AIMS NO.** WB40146  
**ID (mm)** 37  
**OD (mm)** 29.5  
**THK (mm)** 56.5  
**RMK 1** TYT, TCM, LH  
**RMK 2** 1 1/8"



**AIMS NO.** WB40153  
**ID (mm)** 29.2  
**OD (mm)** 22  
**THK (mm)** 50  
**RMK 1** V, 2-2.5TON, DAE  
**RMK 2** 1 1/8"



**AIMS NO.** WB40147  
**ID (mm)** 37  
**OD (mm)** 34  
**THK (mm)** 56  
**RMK 1** TCM, TYT, 11239-5A  
**RMK 2** 1 1/8"



**AIMS NO.** WB40154  
**ID (mm)** 37  
**OD (mm)** 34  
**THK (mm)** 61  
**RMK 1** Λ, 3TON, HYD TYT  
**RMK 2** 1 1/8"

TYT=TOYOTA, KOM=KOMATSU, NIS=NISSAN, MIT=MITSUBISHI, SYL=SUMITOMO YALE, HY=HYSTER  
 DAE=DAEWOO, HYD=HYDRAULIC  
 OEM=ORIGINAL PART MANUF, GEN=GENUINE, AIMS=AIMS QUALITY



**AIMS NO.** WB40043  
**ID (mm)** 68  
**OD (mm)** 29  
**THK (mm)** 90  
**RMK 1** TYT 3FD50/60  
**RMK 2** RH, 1 1/4"



**AIMS NO.** WB40050  
**ID (mm)** 68.5  
**OD (mm)** 29  
**THK (mm)** 81  
**RMK 1** TYT 7FD40/45  
**RMK 2** RH, 1 1/4"



**AIMS NO.** WB40044  
**ID (mm)** 68  
**OD (mm)** 29  
**THK (mm)** 90  
**RMK 1** TYT 3FD50/60  
**RMK 2** LH, 1 1/4"



**AIMS NO.** WB40051  
**ID (mm)** 68.5  
**OD (mm)** 29  
**THK (mm)** 81  
**RMK 1** TYT 7FD40/45  
**RMK 2** LH, 1 1/4"



**AIMS NO.** WB40045  
**ID (mm)** 67.5  
**OD (mm)** 29  
**THK (mm)** 77.5  
**RMK 1** TYT 5FD40/45  
**RMK 2** RH, 1 1/4"



**AIMS NO.** WB40052  
**ID (mm)** 37.5  
**OD (mm)** 30  
**THK (mm)** 59  
**RMK 1** TCM 4TON  
**RMK 2** RH, 1 1/4"



**AIMS NO.** WB40046  
**ID (mm)** 67.5  
**OD (mm)** 29  
**THK (mm)** 77.5  
**RMK 1** TYT 5FD40/45  
**RMK 2** LH, 1 1/4"



**AIMS NO.** WB40053  
**ID (mm)** 37.5  
**OD (mm)** 30  
**THK (mm)** 59  
**RMK 1** TCM 4TON  
**RMK 2** LH, 1 1/4"



**AIMS NO.** WB40047  
**ID (mm)** 40  
**OD (mm)** 7/8"  
**THK (mm)** 93.5  
**RMK 1** TCM FB  
**RMK 2** 1 1/4"



**AIMS NO.** WB40054  
**ID (mm)** 68\*51.5  
**OD (mm)** 29  
**THK (mm)** 92  
**RMK 1** NISSAN 6TON  
**RMK 2** RH, 1 1/4"



**AIMS NO.** WB40048  
**ID (mm)** 62  
**OD (mm)** 29  
**THK (mm)** 63  
**RMK 1** TYT 3FD35/40  
**RMK 2** RH, 1 1/4"



**AIMS NO.** WB40055  
**ID (mm)** 68\*51.5  
**OD (mm)** 29  
**THK (mm)** 92  
**RMK 1** NISSAN 6TON  
**RMK 2** LH, 1 1/4"



**AIMS NO.** WB40049  
**ID (mm)** 62  
**OD (mm)** 29  
**THK (mm)** 63  
**RMK 1** TYT 3FD35/40  
**RMK 2** LH, 1 1/4"



**AIMS NO.** WB40056  
**ID (mm)** 67.5  
**OD (mm)** 28.7  
**THK (mm)** 78  
**RMK 1** TYT  
**RMK 2** RH, 1 1/4"

TYT=TOYOTA, KOM=KOMATSU, NIS=NISSAN, MIT=MITSUBISHI, SYL=SUMITOMO YALE, HY=HYSTER  
 DAE=DAEWOO, HYD=HYDRAULIC  
 OEM=ORIGINAL PART MANUF, GEN=GENUINE, AIMS=AIMS QUALITY

1 1/4" CONTINUE IN PAGE 12



AIMS NO. WB40057  
 ID (mm) 39.5  
 OD (mm) 42  
 THK (mm) 62  
 RMK 1 TYT 3FD50/60  
 RMK 2 1 1/2"

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2



AIMS NO. WB40058  
 ID (mm) 41.5  
 OD (mm) 40  
 THK (mm) 88  
 RMK 1  
 RMK 2 1 1/2"

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2



AIMS NO. WB40059  
 ID (mm) 41.5  
 OD (mm) 45  
 THK (mm) 72.5  
 RMK 1 TCM 6TON  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2



AIMS NO. WB40060  
 ID (mm) 38.5  
 OD (mm) 41.8  
 THK (mm) 71  
 RMK 1 TYT 2F6T, 47550-1240  
 RMK 2 1 1/2"

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2



AIMS NO. WB40061  
 ID (mm) 56.5  
 OD (mm) 44.5  
 THK (mm) 73  
 RMK 1 KOM  
 RMK 2 1 1/2"

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

TYT=TOYOTA, KOM=KOMATSU, NIS=NISSAN, MIT=SUBISHI, SYL=SUMITOMO YALE, HY=HYSTER  
 DAE=DAEWOO, HYD=HYDRAULIC  
 OEM=ORIGINAL PART MANUF, GEN=GENUINE, AIMS=AIMS QUALITY



AIMS NO. WB40071  
 ID (mm) 45.5  
 OD (mm) 44.5  
 THK (mm) 72.5  
 RMK 1  
 RMK 2 1 3/4"

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2



AIMS NO. WB40072  
 ID (mm) 45.5  
 OD (mm) 42  
 THK (mm) 74  
 RMK 1 TYT, 65H826213L  
 RMK 2 1 3/4"

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2



AIMS NO. WB40073  
 ID (mm) 45.5  
 OD (mm) 42  
 THK (mm) 74  
 RMK 1 TYT, 65H826213R Λ  
 RMK 2 1 3/4"

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

TYT=TOYOTA, KOM=KOMATSU, NIS=NISSAN, MIT=MITSUBISHI, SYL=SUMITOMO YALE, HY=HYSTER  
 DAE=DAEWOO, HYD=HYDRAULIC  
 OEM=ORIGINAL PART MANUF, GEN=GENUINE, AIMS=AIMS QUALITY



**AIMS NO.** WB40085  
**ID (mm)** 31.5  
**OD (mm)** 30  
**THK (mm)** 61  
**RMK 1** DAE, V  
**RMK 2** 1 3/8"



**AIMS NO.** WB40092  
**ID (mm)** 31.5  
**OD (mm)** 30  
**THK (mm)** 61  
**RMK 1** HY 2.5TON  
**RMK 2** 1 3/8"



**AIMS NO.** WB40086  
**ID (mm)** 34.5  
**OD (mm)** 37.5  
**THK (mm)** 75  
**RMK 1** V, HY (MM THREAD)  
**RMK 2** 1 3/8"



**AIMS NO.** WB40093  
**ID (mm)** 34.5  
**OD (mm)** 37.5  
**THK (mm)** 76  
**RMK 1** PITCH THREAD, TCM  
**RMK 2** 1 3/8"



**AIMS NO.** WB40087  
**ID (mm)** 41.5  
**OD (mm)** 40  
**THK (mm)** 68.5  
**RMK 1**  
**RMK 2** 1 3/8"



**AIMS NO.** WB40094  
**ID (mm)** 56.5  
**OD (mm)** 44.5  
**THK (mm)** 73  
**RMK 1** KOM  
**RMK 2** 1 3/8"



**AIMS NO.** WB40088  
**ID (mm)** 37  
**OD (mm)** 41  
**THK (mm)** 61  
**RMK 1**  
**RMK 2** 1 3/8"



**AIMS NO.** WB40095  
**ID (mm)** 45  
**OD (mm)** 44.5  
**THK (mm)** 68\*46  
**RMK 1** KOM  
**RMK 2** 1 3/8"



**AIMS NO.** WB40089  
**ID (mm)** 39  
**OD (mm)** 34  
**THK (mm)** 66  
**RMK 1** MIT, T613256 Λ  
**RMK 2** 1 3/8"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40090  
**ID (mm)** 39  
**OD (mm)** 34  
**THK (mm)** 66  
**RMK 1** MIT,  
**RMK 2** 1 3/8"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40091  
**ID (mm)** 45.5  
**OD (mm)** 42  
**THK (mm)** 73  
**RMK 1** KOM  
**RMK 2** 1 3/8"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**

TYT=TOYOTA, KOM=KOMATSU, NIS=NISSAN, MIT=MITSUBISHI, SYL=SUMITOMO YALE, HY=HYSTER  
 DAE=DAEWOO, HYD=HYDRAULIC  
 OEM=ORIGINAL PART MANUF, GEN=GENUINE, AIMS=AIMS QUALITY



**AIMS NO.** WB40099  
**ID (mm)** 45  
**OD (mm)** 41.5  
**THK (mm)** 73.5  
**RMK 1** T17555-1  
**RMK 2** 1 5/8"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40100  
**ID (mm)** 45  
**OD (mm)** 41.5  
**THK (mm)** 73.5  
**RMK 1** T17555-2  
**RMK 2** 1 5/8"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40101  
**ID (mm)** 56.5  
**OD (mm)** 44.5  
**THK (mm)** 70  
**RMK 1** 617-0212 V, TYT  
**RMK 2** 1 5/8"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40102  
**ID (mm)** 56.5  
**OD (mm)** 44.5  
**THK (mm)** 70  
**RMK 1** TYT Λ  
**RMK 2** 1 5/8"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40103  
**ID (mm)** 56.5  
**OD (mm)** 44.5  
**THK (mm)** 70  
**RMK 1** TYT Λ, HYD  
**RMK 2** 1 5/8"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**

TYT=TOYOTA, KOM=KOMATSU, NIS=NISSAN, MIT=SUBARU, SYL=SUMITOMO YALE, HY=HYSTER  
 DAE=DAEWOO, HYD=HYDRAULIC  
 OEM=ORIGINAL PART MANUF, GEN=GENUINE, AIMS=AIMS QUALITY



**AIMS NO.** WB40113  
**ID (mm)** 57  
**OD (mm)** 45.5  
**THK (mm)** 74.5  
**RMK 1** TYT 3FD100, LOWER  
**RMK 2** 1 7/8"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40114  
**ID (mm)** 57  
**OD (mm)** 45.5  
**THK (mm)** 74.5  
**RMK 1** TYT 3FD100, RH  
**RMK 2** 1 7/8"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40115  
**ID (mm)** 57  
**OD (mm)** 45.5  
**THK (mm)** 74.5  
**RMK 1** TYT 3FD100 LH  
**RMK 2** 1 7/8"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**

TYT=TOYOTA, KOM=KOMATSU, NIS=NISSAN, MIT=MITSUBISHI, SYL=SUMITOMO YALE, HY=HYSTER  
 DAE=DAEWOO, HYD=HYDRAULIC  
 OEM=ORIGINAL PART MANUF, GEN=GENUINE, AIMS=AIMS QUALITY



AIMS NO. WB40127  
 ID (mm) 46  
 OD (mm) 52  
 THK (mm) 75  
 RMK 1 TCM 3.5TON  
 RMK 2 44MM

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2



AIMS NO. WB40128  
 ID (mm) 46  
 OD (mm) 44.4  
 THK (mm) 101  
 RMK 1 TCM8-10TON  
 RMK 2 2" , 2 BOLT BASE

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2



AIMS NO. WB40129  
 ID (mm) 34.4  
 OD (mm) 38  
 THK (mm) 104  
 RMK 1  
 RMK 2 44MM

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2



AIMS NO. WB40130  
 ID (mm) 0  
 OD (mm) 46  
 THK (mm) 73  
 RMK 1  
 RMK 2 44MM

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

TYT=TOYOTA, KOM=KOMATSU, NIS=NISSAN, MIT=MITSUBISHI, SYL=SUMITOMO YALE, HY=HYSTER  
 DAE=DAEWOO, HYD=HYDRAULIC  
 OEM=ORIGINAL PART MANUF, GEN=GENUINE, AIMS=AIMS QUALITY



**AIMS NO.** WB40141  
**ID (mm)** 67.5  
**OD (mm)** 28.7  
**THK (mm)** 78  
**RMK 1** TYT RH  
**RMK 2** 1 1/4"



**AIMS NO.** WB40148  
**ID (mm)** 68\*46  
**OD (mm)** 29  
**THK (mm)** 81.5  
**RMK 1** RH  
**RMK 2** 1 1/4"



**AIMS NO.** WB40142  
**ID (mm)** 68  
**OD (mm)** 28  
**THK (mm)** 95  
**RMK 1** KOM  
**RMK 2** 1 1/4"



**AIMS NO.** WB40149  
**ID (mm)** 68\*46  
**OD (mm)** 29  
**THK (mm)** 81.5  
**RMK 1** LH  
**RMK 2** 1 1/4"



**AIMS NO.** WB40143  
**ID (mm)** 41  
**OD (mm)** 38 (M12)  
**THK (mm)** 84  
**RMK 1** TYT  
**RMK 2** 1 1/4"



**AIMS NO.** WB40150  
**ID (mm)** 41  
**OD (mm)** 37 (M10)  
**THK (mm)** 86  
**RMK 1**  
**RMK 2** 1 1/4"



**AIMS NO.** WB40144  
**ID (mm)** 37.5  
**OD (mm)** 34  
**THK (mm)** 58.5  
**RMK 1** KOM, YALE (11239-52)  
**RMK 2** 1 1/4"



**AIMS NO.** WB40151  
**ID (mm)** 67.5\*51.5  
**OD (mm)** 29  
**THK (mm)** 93  
**RMK 1** HYD TYT LH  
**RMK 2** 1 1/4"



**AIMS NO.** WB40145  
**ID (mm)** 35.5  
**OD (mm)** 36  
**THK (mm)** 63  
**RMK 1** KOM, FD60-3  
**RMK 2** 1 1/4"



**AIMS NO.** WB40152  
**ID (mm)** 67.5\*51.5  
**OD (mm)** 29  
**THK (mm)** 93  
**RMK 1** HYD TYT RH  
**RMK 2** 1 1/4"



**AIMS NO.** WB40146  
**ID (mm)** 62.5\*32.5  
**OD (mm)** 28.5  
**THK (mm)** 62  
**RMK 1** DAE RH  
**RMK 2** 1 1/4"



**AIMS NO.** WB40153  
**ID (mm)** 35  
**OD (mm)** 35.5  
**THK (mm)** 62.5  
**RMK 1** HYD KOM  
**RMK 2** 1 1/4"



**AIMS NO.** WB40147  
**ID (mm)** 62.5\*32.5  
**OD (mm)** 28.5  
**THK (mm)** 62  
**RMK 1** DAE, LH  
**RMK 2** 1 1/4"



**AIMS NO.** WB40154  
**ID (mm)** 35  
**OD (mm)** 36  
**THK (mm)** 71  
**RMK 1** ELECT KOM 4TON  
**RMK 2** 1 1/4"

TYT=TOYOTA, KOM=KOMATSU, NIS=NISSAN, MIT=MITSUBISHI, SYL=SUMITOMO YALE, HY=HYSTER  
 DAE=DAEWOO, HYD=HYDRAULIC  
 OEM=ORIGINAL PART MANUF, GEN=GENUINE, AIMS=AIMS QUALITY

1 1/4" CONTINUE IN PAGE 13



**AIMS NO.** WB40155  
**ID (mm)** 41  
**OD (mm)** 38 (M8)  
**THK (mm)** 84  
**RMK 1** MIT, 5TON  
**RMK 2** 1 1/4"



**AIMS NO.** WB40162  
**ID (mm)** 61.5\*32  
**OD (mm)** 28 (M8)  
**THK (mm)** 64  
**RMK 1** HY  
**RMK 2** 1 1/4"



**AIMS NO.** WB40156  
**ID (mm)** 41.5  
**OD (mm)** 38  
**THK (mm)** 67.5  
**RMK 1** TCM Λ, 4TON (11252)  
**RMK 2** 1 1/4"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40157  
**ID (mm)** 37.5  
**OD (mm)** 34  
**THK (mm)** 58  
**RMK 1** TCM, (11239-52)  
**RMK 2** 1 1/4"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40158  
**ID (mm)** 35  
**OD (mm)** 34  
**THK (mm)** 72.5  
**RMK 1** TCM  
**RMK 2** 1 1/4"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40159  
**ID (mm)** 67.5\*52  
**OD (mm)** 29  
**THK (mm)** 93  
**RMK 1** YALE Λ, RH  
**RMK 2** 1 1/4"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40160  
**ID (mm)** 67.5\*52  
**OD (mm)** 29  
**THK (mm)** 93  
**RMK 1** YALE Λ, LH  
**RMK 2** 1 1/4"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**



**AIMS NO.** WB40161  
**ID (mm)** 34  
**OD (mm)** 35 (M9)  
**THK (mm)** 73  
**RMK 1** MIT Λ  
**RMK 2** 1 1/4"

**AIMS NO.**  
**ID (mm)**  
**OD (mm)**  
**THK (mm)**  
**RMK 1**  
**RMK 2**

TYT=TOYOTA, KOM=KOMATSU, NIS=NISSAN, MIT=MITSUBISHI, SYL=SUMITOMO YALE, HY=HYSTER  
 DAE=DAEWOO, HYD=HYDRAULIC  
 OEM=ORIGINAL PART MANUF, GEN=GENUINE, AIMS=AIMS QUALITY



AIMS NO. WB40170  
 ID (mm) 28.5  
 OD (mm) 31  
 THK (mm) 70  
 RMK 1 DAE, CK  
 RMK 2 1 1/8"

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2



AIMS NO. WB40171  
 ID (mm) 25  
 OD (mm) 37  
 THK (mm) 56  
 RMK 1 TYT 2FD (RH)  
 RMK 2 1 1/8"

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2



AIMS NO. WB40172  
 ID (mm) 25  
 OD (mm) 37  
 THK (mm) 56  
 RMK 1 TYT 2FD (LH)  
 RMK 2 1 1/8"

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

AIMS NO.  
 ID (mm)  
 OD (mm)  
 THK (mm)  
 RMK 1  
 RMK 2

TYT=TOYOTA, KOM=KOMATSU, NIS=NISSAN, MIT=MITSUBISHI, SYL=SUMITOMO YALE, HY=HYSTER  
 DAE=DAEWOO, HYD=HYDRAULIC, CK=CLARK  
 OEM=ORIGINAL PART MANUF, GEN=GENUINE, AIMS=AIMS QUALITY